




BRASS FITTINGS FOR THREADED PIPES



GENERAL FEATURES

The brass fittings for threaded pipes are used as junctions for pipelines with threaded connection UNI ISO 228/1. The thread dimensions are subdivided in various types of configurations which makes the realization of the systems easier and more secure. These fittings are manufactured completely in brass, and are suitable for professional use. They are highly resistant to prolonged exposure to the sun, atmospheric agents and light.

DESIGN

According to the different types and dimensions:

- in forged brass N 12165 - CW617N
- in turned brass EN 12164 - CW614N
- in cast brass EN 1982-CB753S

Chrome-plated ELECTRODEPOSITED COATING EN 12540 (Cu/Ni5sCrr)

TECHNICAL FEATURES

Pressure:	
Maximum allowable working pressure (PN)	10 bar
Temperature:	
Maximum working temperature (TS):	
for products without elastomer constituents	from 0 °C (excluding ice) to +110 °C
for products with elastomer constituents	from 0 °C (excluding ice) to + 80 °C
Threading:	
Pipe connection	Threads according to ISO 228/1
Requirements and tests as per:	
Shell Tightness	Test P11 - EN 12266-1




OFFICINE RIGAMONTI S.p.A.
via Circonvallazione, 9
13018 Valduggia (VC), ITALY
TEL. +39 0163.48165
FAX +39 0163.47254
www.officinerigamonti.it
export@officinerigamonti.it

BRASS FITTINGS FOR THREADED PIPES

0113

THREADED PLUGS FEMALE - YELLOW AND CHROME PLATED



Code.	Dimensions			Finishing
	Dn	H	Ch.	
0113.008	1/4"	10	15	Yellow
0113.012	3/8"	10	18	Yellow
0113.015	1/2"	13	24	Yellow
0113.020	3/4"	14	29	Yellow
0113.025	1"	16	36	Yellow
0113.033	1"1/4	16	46	Yellow
0113.042	1"1/2	18	51	Yellow
0113.050	2"	22	65	Yellow
0113.108	1/4"	10	15	Chrome plated
0113.112	3/8"	10	24	Chrome plated
0113.115	1/2"	13	24	Chrome plated
0113.120	3/4"	14	29	Chrome plated
0113.125	1"	16	36	Chrome plated



0537

THREADED PLUGS MALE - YELLOW AND CHROME PLATED

Code.	Dimensions			Finishing
	Dn	H	Ch.	
0537.008	1/4"	14	15	Yellow
0537.012	3/8"	15	18	Yellow
0537.015	1/2"	15	22	Yellow
0537.020	3/4"	18	28	Yellow
0537.025	1"	18	35	Yellow
0537.033	1"1/4	25	40	Yellow
0537.042	1"1/2	26	21	Yellow
0537.050	2"	31	23	Yellow
0537.108	1/4"	14	15	Chrome plated
0537.112	3/8"	15	18	Chrome plated
0537.115	1/2"	15	22	Chrome plated
0537.120	3/4"	18	28	Chrome plated
0537.125	1"	18	35	Chrome plated







BRASS FITTINGS FOR THREADED PIPES

0535

DOUBLE NIPPLES MALE-FEMALE YELLOW


Code	Dimensions		
	Dn	D	H
0535.001	1/4"	-	18
0535.005	3/8"	Ø23	25
0535.010	1/2"	Ø27	25
0535.015	3/4"	Ø33	25
0535.021	1"	Ø41	34
0535.025	1"1/4	Ø53	36
0535.028	1"1/2	Ø61	39
0535.030	2"	Ø76	43



0535

DOUBLE NIPPLES REDUCED MALE-FEMALE YELLOW

Code	Dimensions			
	Dn	Dn1	D	H
0535.002	1/8"	1/4"	-	19
0535.007	1/4"	3/8"	Ø22	24
0535.014	3/8"	1/2"	Ø26	20
0535.009	1/2"	3/8"	Ø24	22
0535.011	1/2"	3/4"	Ø34	24
0535.012	1/2"	1"	Ø42	26
0535.013	3/4"	1/2"	Ø30	26
0535.016	3/4"	1"	Ø42	29
0535.022	1"	1"1/4	Ø53	33
0535.023	1"	1"1/2	Ø61	34
0535.026	1"1/4	1"1/2	Ø61	36
0535.029	1"1/2	2"	Ø76	41




BRASS FITTINGS FOR THREADED PIPES

0538

REDUCTIONS WITH HEXAGONE MALE-FEMALE YELLOW AND CHROME PLATED

Code	Dimensions			Finishing
	Dn	Dn1	H	
0538.001	1/4"	1/8"	14	Yellow
0538.021	3/8"	1/8"	15	Yellow
0538.002	3/8"	1/4"	15	Yellow
0538.022	1/2"	1/8"	16	Yellow
0538.099	1/2"	1/4"	16	Yellow
0538.003	1/2"	3/8"	16	Yellow
0538.023	3/4"	1/4"	18	Yellow
0538.010	3/4"	3/8"	18	Yellow
0538.004	3/4"	1/2"	18	Yellow
0538.024	1"	3/8"	21	Yellow
0538.011	1"	1/2"	21	Yellow
0538.005	1"	3/4"	21	Yellow
0538.014	1"1/4	1/2"	24	Yellow
0538.013	1"1/4	3/4"	24	Yellow
0538.006	1"1/4	1"	26	Yellow
0538.019	1"1/2	1/2"	35	Yellow
0538.018	1"1/2	3/4"	35	Yellow
0538.012	1"1/2	1"	35	Yellow
0538.007	1"1/2	1"1/4	35	Yellow
0538.016	2"	1"	25	Yellow
0538.015	2"	1"1/4	25	Yellow
0538.008	2"	1"1/2	25	Yellow
0538.009	2"1/2	2"	28	Yellow
0538.101	1/4"	1/8"	14	Chrome plated
0538.121	3/8"	1/8"	15	Chrome plated
0538.102	3/8"	1/4"	15	Chrome plated
0538.122	1/2"	1/8"	16	Chrome plated
0538.199	1/2"	1/4"	16	Chrome plated
0538.103	1/2"	3/8"	16	Chrome plated
0538.123	3/4"	1/4"	18	Chrome plated
0538.110	3/4"	3/8"	18	Chrome plated
0538.104	3/4"	1/2"	18	Chrome plated
0538.124	1"	3/8"	21	Chrome plated
0538.111	1"	1/2"	21	Chrome plated
0538.105	1"	3/4"	21	Chrome plated
0538.129	1"1/4	1/2"	24	Chrome plated
0538.113	1"1/4	3/4"	24	Chrome plated
0538.106	1"1/4	1"	26	Chrome plated
0538.119	1"1/2	1/2"	35	Chrome plated
0538.114	1"1/2	3/4"	35	Chrome plated
0538.112	1"1/2	1"	35	Chrome plated
0538.107	1"1/2	1"1/4	35	Chrome plated



All informations included in this catalogue, technical features, drawings and descriptions, are not binding and might be subject to variation at any time, without any forwarning. Any reproduction, even partially, is forbidden and legally pursuable.






BRASS FITTINGS FOR THREADED PIPES

0750

REDUCTIONS WITHOUT HEXAGONE MALE-FEMALE



Code	Dimensions		
	Dn	Dn1	H
0750.015	1/2"	3/8"	10
0750.020	3/4"	1/2"	10
0750.025	1"	3/4"	12
0750.033	1" 1/4	1"	14
0750.042	1" 1/2	1" 1/4	16



0751

REDUCTION NIPPLES WITHOUT HEXAGONE WITH INTERNAL ABUTMENT

Code	Dimensions		
	Dn	Dn1	H
0751.015	1/2"	3/8"	10
0751.020	3/4"	1/2"	10
0751.025	1"	3/4"	12
0751.033	1" 1/4	1"	14
0751.042	1" 1/2	1" 1/4	16



0738

DOUBLE NIPPLES CHROME PLATED MALE-MALE


Code	Dimensions	
	Dn	H
0738.005	1/8"	18
0738.008	1/4"	23
0738.012	3/8"	26
0738.015	1/2"	28
0738.020	3/4"	30
0738.025	1"	35



0740

DOUBLE NIPPLES YELLOW MALE-MALE

Code	Dimensions	
	Dn	H
0740.005	1/8"	18
0740.008	1/4"	23
0740.012	3/8"	26
0740.015	1/2"	28
0740.020	3/4"	30
0740.025	1"	35
0740.033	1" 1/4	45
0740.042	1" 1/2	59
0740.050	2"	61
0740.066	2" 1/2	48
0740.080	3"	57
0740.100	4"	76



All informations included in this catalogue, technical features, drawings and descriptions, are not binding and might be subject to variation at any time, without any forwarnig. Any reproduction, even partially, is forbidden and legally pursuable.



BRASS FITTINGS FOR THREADED PIPES


0739

DOUBLE NIPPLES REDUCED CHROME PLATED

Code

Dimensions

	Dn	Dn1	H
0739.001	1/4"	1/8"	18
0739.012	3/8"	1/8"	21
0739.002	3/8"	1/4"	25
0739.013	1/2"	1/4"	25
0739.003	1/2"	3/8"	29
0739.004	3/4"	1/2"	28
0739.010	1"	1/2"	32
0739.005	1"	3/4"	33
0739.015	1"1/4	3/4"	36
0739.006	1"1/4	1"	43




0741

DOUBLE NIPPLES REDUCED YELLOW MALE-MALE

Code

Dimensions

	Dn	Dn1	H
0741.001	1/4"	1/8"	18
0741.012	3/8"	1/8"	21
0741.002	3/8"	1/4"	25
0741.013	1/2"	1/4"	25
0741.003	1/2"	3/8"	29
0741.004	3/4"	1/2"	28
0741.010	1"	1/2"	32
0741.005	1"	3/4"	33
0741.015	1"1/4	3/4"	36
0741.006	1"1/4	1"	43
0741.018	1"1/2	1"	36
0741.007	1"1/2	1"1/4	54
0741.022	2"	1"1/4	48
0741.008	2"	1"1/2	44
0741.011	2"1/2	2"	48






BRASS FITTINGS FOR THREADED PIPES

0744

EXTENSIONS YELLOW MALE-MALE

Code	Dimensions			
	Dn	D	H	H1
0744.006	1/2"	Ø 21	60	34
0744.008	1/2"	Ø 21	80	52
0744.010	1/2"	Ø 21	100	72
0744.012	1/2"	Ø 21	120	92
0744.015	1/2"	Ø 21	150	122
0744.106	3/4"	Ø 26	60	34
0744.108	3/4"	Ø 26	80	52
0744.110	3/4"	Ø 26	100	72
0744.112	3/4"	Ø 26	120	92
0744.150	3/4"	Ø 26	150	122
0744.206	1"	Ø 33	60	34
0744.208	1"	Ø 33	80	52
0744.210	1"	Ø 33	100	72
0744.220	1"	Ø 33	120	92
0744.250	1"	Ø 33	150	122





BRASS FITTINGS FOR THREADED PIPES

0745

EXTENSIONS YELLOW MALE-FEMALE

Code	Dimensions			
	Dn	D	H	H1
0745.010	3/8"	Ø 21	21	12
0745.015	3/8"	Ø 21	24	15
0745.020	3/8"	Ø 21	29	20
0745.030	3/8"	Ø 21	39	30
0745.040	3/8"	Ø 21	49	40
0745.050	3/8"	Ø 21	59	50
0745.110	1/2"	Ø 25	22	12
0745.115	1/2"	Ø 25	25	15
0745.120	1/2"	Ø 25	30	20
0745.125	1/2"	Ø 25	35	25
0745.130	1/2"	Ø 25	40	30
0745.140	1/2"	Ø 25	50	40
0745.150	1/2"	Ø 25	60	50
0745.160	1/2"	Ø 25	70	60
0745.180	1/2"	Ø 25	90	80
0745.200	1/2"	Ø 25	110	100
0745.210	3/4"	Ø 32	22	12
0745.215	3/4"	Ø 32	25	15
0745.220	3/4"	Ø 32	30	20
0745.230	3/4"	Ø 32	40	30
0745.240	3/4"	Ø 32	50	40
0745.250	3/4"	Ø 32	60	50
0745.310	1"	Ø 38	26	12
0745.315	1"	Ø 38	29	15
0745.320	1"	Ø 38	34	20
0745.330	1"	Ø 38	44	30
0745.340	1"	Ø 38	54	40
0745.350	1"	Ø 38	64	50






BRASS FITTINGS FOR THREADED PIPES

0745.5

HEAVY EXTENSIONS YELLOW MALE-FEMALE

Code	Dimensions			
	Dn	D	H	H1
0745.410	3/8"	Ø 22	21	12
0745.415	3/8"	Ø 22	24	15
0745.420	3/8"	Ø 22	29	20
0745.430	3/8"	Ø 22	39	30
0745.440	3/8"	Ø 22	49	40
0745.450	3/8"	Ø 22	59	50
0745.510	1/2"	Ø 27	20	12
0745.515	1/2"	Ø 27	25	15
0745.520	1/2"	Ø 27	30	20
0745.525	1/2"	Ø 27	36	25
0745.530	1/2"	Ø 27	40	30
0745.540	1/2"	Ø 27	50	40
0745.550	1/2"	Ø 27	60	50
0745.560	1/2"	Ø 27	71	60
0745.600	1/2"	Ø 27	110	100
0745.610	1/2"	Ø 33	23	12
0745.615	3/4"	Ø 33	26	15
0745.620	3/4"	Ø 33	31	20
0745.630	3/4"	Ø 33	41	30
0745.640	3/4"	Ø 33	51	40
0745.650	3/4"	Ø 33	61	50
0745.715	1"	Ø 40	29	15
0745.720	1"	Ø 40	34	20
0745.730	1"	Ø 40	44	30
0745.740	1"	Ø 40	54	40
0745.750	1"	Ø 40	64	50



BRASS FITTINGS FOR THREADED PIPES


0746

CHROME PLATED EXTENSIONS MALE-FEMALE

Code

Dimensions

	Dn	D	H	H1
0746.010	3/8"	Ø 21	21	12
0746.015	3/8"	Ø 21	24	15
0746.020	3/8"	Ø 21	29	20
0746.030	3/8"	Ø 21	39	30
0746.040	3/8"	Ø 21	49	40
0746.050	3/8"	Ø 21	59	50
0746.110	1/2"	Ø 25	22	12
0746.115	1/2"	Ø 25	25	15
0746.120	1/2"	Ø 25	30	20
0746.125	1/2"	Ø 25	35	25
0746.130	1/2"	Ø 25	40	30
0746.140	1/2"	Ø 25	50	40
0746.150	1/2"	Ø 25	60	50
0746.160	1/2"	Ø 25	70	60
0746.180	1/2"	Ø 25	90	80
0746.200	1/2"	Ø 25	110	100
0746.210	3/4"	Ø 32	22	12
0746.215	3/4"	Ø 32	25	15
0746.220	3/4"	Ø 32	30	20
0746.230	3/4"	Ø 32	40	30
0746.240	3/4"	Ø 32	50	40
0746.250	3/4"	Ø 32	60	50



All informations included in this catalogue, technical features, drawings and descriptions, are not binding and might be subject to variation at any time, without any forwarning. Any reproduction, even partially, is forbidden and legally pursuable.






BRASS FITTINGS FOR THREADED PIPES

0746,5

HEAVY EXTENSIONS CHROME PLATED MALE - FEMALE

Code	Dimensions			
	Dn	D	H	H1
0746.410	3/8"	Ø 22	21	12
0746.415	3/8"	Ø 22	24	15
0746.420	3/8"	Ø 22	29	20
0746.430	3/8"	Ø 22	39	30
0746.440	3/8"	Ø 22	49	40
0746.450	3/8"	Ø 22	59	50
0746.510	1/2"	Ø 27	20	12
0746.515	1/2"	Ø 27	25	15
0746.520	1/2"	Ø 27	30	20
0746.525	1/2"	Ø 27	36	25
0746.530	1/2"	Ø 27	40	30
0746.540	1/2"	Ø 27	50	40
0746.550	1/2"	Ø 27	60	50
0746.560	1/2"	Ø 27	71	60
0746.600	1/2"	Ø 27	100	100
0746.610	3/4"	Ø 33	23	12
0746.615	3/4"	Ø 33	26	15
0746.620	3/4"	Ø 33	31	20
0746.630	3/4"	Ø 33	41	30
0746.640	3/4"	Ø 33	51	40
0746.650	3/4"	Ø 33	61	50




BRASS FITTINGS FOR THREADED PIPES

2070

SLEEVES FEMALE-FEMALE YELLOW AND CHROME PLATED


Code	Dimensions			Finishing
	Dn	D	H	
2070.008	1/4"	Ø18	24	Yellow
2070.012	3/8"	Ø23	28	Yellow
2070.015	1/2"	Ø28	32	Yellow
2070.020	3/4"	Ø34	34	Yellow
2070.025	1"	Ø40	42	Yellow
2070.033	1"1/4	Ø52	44	Yellow
2070.042	1"1/2	Ø58	52	Yellow
2070.050	2"	Ø70	63	Yellow
2070.108	1/4"	Ø18	24	Chrome plated
2070.112	3/8"	Ø23	28	Chrome plated
2070.115	1/2"	Ø28	32	Chrome plated
2070.120	3/4"	Ø34	34	Chrome plated
2070.125	1"	Ø40	42	Chrome plated



2079

REDUCED SLEEVES FEMALE - FEMALE YELLOW AND CHROME PLATED

Code	Dimensions					Finishing
	Dn	Dn1	D	D1	H	
2079.012	3/8"	1/4"	Ø24	Ø20	23	Yellow
2079.015	1/2"	3/8"	Ø29	Ø25	28	Yellow
2079.020	3/4"	1/2"	Ø34	Ø29	30	Yellow
2079.025	1"	3/4"	Ø42	Ø36	38	Yellow
2079.033	1"1/4	1"	Ø50	Ø45	38	Yellow
2079.034	1"1/2	1"1/4	Ø56	Ø48	48	Yellow
2079.043	2"	1"1/2	Ø68	Ø48	49	Yellow
2079.112	3/8"	1/4"	Ø24	Ø20	23	Chrome plated
2079.115	1/2"	3/8"	Ø29	Ø25	28	Chrome plated
2079.120	3/4"	1/2"	Ø34	Ø29	30	Chrome plated
2079.125	1"	3/4"	Ø42	Ø36	38	Chrome plated
2079.133	1"1/4	1"	Ø50	Ø45	38	Chrome plated




BRASS FITTINGS FOR THREADED PIPES

2071

ELBOWS 90° FEMALE-FEMALE YELLOW AND CHROME PLATED


Code	Dimensions				Finishing
	Dn	Dn1	L	H	
2071.008	1/4"	1/4"	30	21	Yellow
2071.012	3/8"	3/8"	35	23	Yellow
2071.015	1/2"	1/2"	40	27	Yellow
2071.020	3/4"	3/4"	40	23	Yellow
2071.025	1"	1"	53	33	Yellow
2071.033	1"1/4	1"1/4	68	43	Yellow
2071.042	1"1/2	1"1/2	76	47	Yellow
2071.050	2"	2"	91	56	Yellow
2071.108	1/4"	1/4"	30	21	Chrome plated
2071.112	3/8"	3/8"	35	23	Chrome plated
2071.115	1/2"	1/2"	40	27	Chrome plated
2071.120	3/4"	3/4"	40	23	Chrome plated
2071.125	1"	1"	53	33	Chrome plated
2071.215	1/2"	3/8"	40	27	Yellow
2071.220	3/4"	1/2"	44	29	Yellow
2071.225	1"	1/2"	51	33	Yellow
2071.226	1"	3/4"	51	33	Yellow



2072

ELBOWS 90° MALE-FEMALE YELLOW AND CHROME PLATED

Code	Dimensions					Finishing
	Dn	Dn1	L	H	H1	
2072.008	1/4"	1/4"	18	38	29	Yellow
2072.012	3/8"	3/8"	20	45	33	Yellow
2072.015	1/2"	1/2"	24	48	34	Yellow
2072.020	3/4"	3/4"	23	58	41	Yellow
2072.025	1"	1"	36	72	51	Yellow
2072.033	1"1/4	1"1/4	40	82	57	Yellow
2072.042	1"1/2	1"1/2	47	92	64	Yellow
2072.050	2"	2"	56	104	69	Yellow
2072.108	1/4"	1/4"	18	38	29	Chrome plated
2072.112	3/8"	3/8"	20	45	33	Chrome plated
2072.115	1/2"	1/2"	24	48	34	Chrome plated
2072.120	3/4"	3/4"	23	58	41	Chrome plated
2072.125	1"	1"	36	72	51	Chrome plated
2072.220	3/4"	1/2"	30	56	40	Yellow
2072.225	1"	3/4"	40	65	45	Yellow
2072.233	1"1/4	1"	40	80	65	Yellow




BRASS FITTINGS FOR THREADED PIPES

2073

TE 90° FEMALE-FEMALE-FEMALE YELLOW AND CHROME PLATED


Code	Dimensions				Finishing
	Dn	Dn1	L	H	
2073.008	1/4"	1/4"	23	38	Yellow
2073.012	3/8"	3/8"	25	43	Yellow
2073.015	1/2"	1/2"	26	43	Yellow
2073.020	3/4"	3/4"	30	51	Yellow
2073.025	1"	1"	38	65	Yellow
2073.033	1"1/4	1"1/4	49	87	Yellow
2073.042	1"1/2	1"1/2	55	97	Yellow
2073.050	2"	2"	56	117	Yellow
2073.108	1/4"	1/4"	23	38	Chrome plated
2073.112	3/8"	3/8"	25	43	Chrome plated
2073.115	1/2"	1/2"	26	43	Chrome plated
2073.120	3/4"	3/4"	30	51	Chrome plated
2073.125	1"	1"	38	65	Chrome plated
2073.220	3/4"	1/2"	31	60	Yellow
2073.225	1"	1/2"	33	59	Yellow
2073.227	1"	3/4"	36	70	Yellow
2073.233	1"1/4	1"	40	80	Yellow
2073.242	1"1/2	1"1/4	48	96	Yellow
2073.250	2"	1"1/2	54	110	Yellow



2077

CROSS 90° FEMALE - FEMALE - FEMALE - FEMALE YELLOW


Code	Dimensions		
	Dn	L	H
2077,015	1/2"	40	40
2077,020	3/4"	63	63
2077,025	1"	65	65



2080

THREE WAY ANGLE FITTING FEMALE - FEMALE - FEMALE YELLOW

Code	Dimensions			
	Dn	L	L1	H
2080,015	1/2"	44	30	44
2080,020	3/4"	48	33	49



All informations included in this catalogue, technical features, drawings and descriptions, are not binding and might be subject to variation at any time, without any forwarning. Any reproduction, even partially, is forbidden and legally pursuable.






BRASS FITTINGS FOR THREADED PIPES

2074

STRAIGHT UNIONS TAPERED SEAT IN BRASS 3 PIECES FEMALE-FEMALE YELLOW AND CHROME PLATED


Code	Dimensions		Finishing
	Dn	H	
2074.015	1/2"	45	Yellow
2074.020	3/4"	45	Yellow
2074.025	1"	45	Yellow
2074.115	1/2"	45	Chrome plated
2074.120	3/4"	45	Chrome plated
2074.125	1"	45	Chrome plated



2075

STRAIGHT UNIONS TAPERED SEAT IN BRASS 3 PIECES MALE-FEMALE YELLOW AND CHROME PLATED

Code	Dimensions		Finishing
	Dn	H	
2075.012	3/8"	41	Yellow
2075.015	1/2"	45	Yellow
2075.020	3/4"	52	Yellow
2075.025	1"	58	Yellow
2075.033	1"1/4	69	Yellow
2075.112	3/8"	41	Chrome plated
2075.115	1/2"	45	Chrome plated
2075.120	3/4"	52	Chrome plated
2075.125	1"	58	Chrome plated





BRASS FITTINGS FOR THREADED PIPES

2078

CURVED UNIONS 90° TAPERED SEAT IN BRASS 3 PIECES MALE-FEMALE YELLOW AND CHROME PLATED


Code	Dimensions				Finishing
	Dn	L	H	H1	
2078.012	3/8"	22	57	47	Yellow
2078.015	1/2"	24	63	51	Yellow
2078.020	3/4"	29	76	60	Yellow
2078.025	1"	34	89	68	Yellow
2078.033	1 1/4"	39	110	85	Yellow
2078.112	3/8"	22	57	47	Chrome plated
2078.115	1/2"	24	63	51	Chrome plated
2078.120	3/4"	29	76	60	Chrome plated
2078.125	1"	34	89	68	Chrome plated
2078.133	1 1/4"	39	110	85	Chrome plated



2175

STRAIGHT UNIONS SEAT WITH O-RING 3 PIECES MALE-FEMALE YELLOW AND CHROME PLATED



Code	Dimensions		Finishing
	Dn	H	
2175.012	3/8"	41	Yellow
2175.015	1/2"	45	Yellow
2175.020	3/4"	52	Yellow
2175.025	1"	58	Yellow
2175.033	1 1/4"	69	Yellow
2175.112	3/8"	41	Chrome plated
2175.115	1/2"	45	Chrome plated
2175.120	3/4"	52	Chrome plated
2175.125	1"	58	Chrome plated
2175.133	1 1/4"	69	Chrome plated



2178

CURVED UNIONS 90° SEAT WITH O-RING 3 PIECES MALE-FEMALE YELLOW AND CHROME PLATED

Code	Dimensions				Finishing
	Dn	L	H	H1	
2178.012	3/8"	22	57	47	Yellow
2178.015	1/2"	24	63	51	Yellow
2178.020	3/4"	29	76	60	Yellow
2178.025	1"	34	89	68	Yellow
2178.033	1 1/4"	39	110	85	Yellow
2178.112	3/8"	22	57	47	Chrome plated
2178.115	1/2"	24	63	51	Chrome plated
2178.120	3/4"	29	76	60	Chrome plated
2178.125	1"	34	89	68	Chrome plated
2178.133	1 1/4"	39	110	85	Chrome plated



All informations included in this catalogue, technical features, drawings and descriptions, are not binding and might be subject to variation at any time, without any forwarning. Any reproduction, even partially, is forbidden and legally pursuable.

